

SIVKOV, K.V., doktor istor.nauk, otv.red.; DRUZHININ, N.M., akademik, red.;
YATSUNSKIY, V.K., doktor istor.nauk, red.; ANFIMOV, A.M., kand.
istor.nauk, red.; AVREKH, A.Ya., red.izd-va; ZELENKOVA, Ye.V.,
tekh.n.red.

[Papers on the history of agriculture and the peasantry in the
U.S.S.R.] Materialy po istorii sel'skogo khoziaistva i krest'ianstva
SSSR; sbornik III. [Vol.3] Moskva, 1959. 494 p. (MIRA 12:4)

1. Akademiya nauk SSSR. Institut istorii.
(Agriculture) (Peasantry)

FEDORENKO, Pavel Konstantinovich; YATSUNSKIY, V.K., otv.red.; LUBOVIKOVA,
G.F., red.izd-va; LEBKDEVA, L.A., tekhn.red.

[Small iron processing plants on the left bank of the Dnieper in
the Ukraine, in the 17th-18th centuries] Rudni levoberezhnoi
Ukrainy v XVII-XVIII vv. Moskva, Izd-vo Akad.nauk SSSR, 1960.
261 p. (MIRA 13:9)

(Dnieper Valley--Ironwork)

YATSUMSKIY, V.K.

Geography of the iron market in pre-Reform Russia. Yop. geog.
no.50:110-146 '60. (MIRA 13:8)
(Iron industry)

YATSUNSKIY, V.K., doktor istor. nauk, otv. red.; SKAZKIN, S.D., akad., red.; KRUUS, Kh.Kh., red.; NIFONTOV, A.S., doktor istor. nauk, red.; USTYUGOV, N.V., doktor istor. nauk, red.; KAKHK, Yu.Yu., kand. istor. nauk, red.; MAAMYAGI, V.A., kand. istor. nauk, red.; ANFIMOV, A.M., kand. istor. nauk, red.; KUZOVLEV, A.A., red. izd-va; RYLINA, Yu.V., tekhn.red.

[Yearbook of the agrarian history of Eastern Europe, 1959] ~~Eshe-~~
godnik po agrarnoi istorii Vostochnoi Evropy 1959 g. Moskva,
1961. 457 p. (MIRA 14:5)

1. Akademiya nauk SSSR. Institut istorii. 2. Chlen-korrespondent
AN SSSR (for Kruus)

(Europe, Eastern-- Agriculture)

YATSUNSKIY, V.K.

The history of cartography in Czechoslovakia. Izv. AN SSSR. Ser.
geog. no. 2:126-128 Mr-Apr '63. (MIRA 16:4)
(Czechoslovakia--Maps)

SLUKHAY, Tat'yana Dmitriyevna; YATSURA, Nikolay Fedorovich;
DEDKOV, Ye., red.

[Centralization of the accounting in public institutions]
TSentralizatsiia ucheta v biudzhethnykh uchrezhdeniakh.
Moskva, Izd-vo "Finansy," 1964. 102 p. (MIRA 17:8)

PHASE I BOOK EXPLOITATION SOV/326

Mazhukovskaya nauchno-tekhnicheskaya konferentsiya na temu: "Sovremennyye dostizheniya prokatnogo proizvodstva."

Trudy... (Transactions of the Intercollegiate Scientific and Technical Conference on Recent Achievements in the Rolling Industry) Leningrad, 1958. 251 p. 1,000 copies printed.

Sponsoring Agencies: Leningradskiy politekhnicheskii institut im. M.Y. Kalinina, Nauchno-tekhnicheskoy obshchestvo mashinostroitel'noy, Leningradskoye otdeleniye, Nauchno-tekhnicheskoye obshchestvo metallurgov, Leningradskoye otdeleniye.

Resp. Ed.: V.S. Smirnov, Doctor of Technical Sciences, Professor; Ed.: M.M. Pavlov.

PURPOSE: These proceedings of the conference are intended for specialists in the rolling industry.

COVERAGE: The articles of this collection cover various theoretical and practical problems of rolling, such as: pressure, spread, efficiency of rolls, determination of deformation, forces required, pass design, optimum conditions of rolling, experiences of various plants, modernization of equipment, aluminum-clad steel, and rolling of nonferrous metals. No personalities are mentioned. References appear after each article.

Authors: G.S. and V.D. Durnev. (Leningrad) Some Problems of Production and Equipment in Longitudinal Periodic Die Rolling

Chelyshev, M.A. [Sibirskiy metallurgicheskii institut (Siberian Metallurgical Institute), Stalinsk] Optimum Conditions of Deformation in Rolling 109

Grebko, V.P. [Institut Chernoy Metallurgii AN USSR (Institute of Ferrous Metallurgy, AS UR 58)] Quality of Rolling With Great Drafts 122

Bakula, S.P. [Zavod "Tranznyy Otkryt" (Plant "Krasnyy Otkryt"), Stalingrad] New Type of Rolled Stock for the Tractor Industry 126

Boyarshinov, M.I. [Magnitogorskiy Gornometallurgicheskii Institut im. G.I. Kosova (Magnitogorsk Mining and Metallurgical Institute im. G.I. Kosov)] New Technique in the Metallurgical Method of Producing Copper-Clad Steel Wire Rod 131

Jornubisem, M.M. [Zhdanovskiy metallurgicheskii institut (Zhdanov Metallurgical Institute)] Intensifying Regimes of Drafts in Rolling According to Friction Conditions 136

Khalemkov, V.P. [Zavod "Azoval" (Plant "Azoval"), Zhdanov] Mastering Rolling of Rails at the "Azoval" Plant 141

Ilyukovich, B.M. [Chusovskiy metallurgicheskii zavod (Chusovskiy Metallurgical Plant)] Rolling and Roll Pass Design of Light T-shapes for Framework of Industrial Buildings 145

Barnas, A.M., A.M. Makhlov, and M.D. Kozin. [Kirovskiy zavod (Kirov Plant), Leningrad] Rolling Spring Leaf and Spring Steel at Kirov Plant 151

Yatsura, Y.I. [Zakavkazskiy metallurgicheskii zavod im. I.V. Stalin (Transcaucasian Metallurgical Plant im. I.V. Stalin)] Application of Repeaters in Rolling Steel Angles 155

Korshunov, Ye.A. [Ural'skiy politekhnicheskii institut (Ural Polytechnical Institute)] Effect of a Manipulator on Blooming Productivity 158

Grevtsov, M.M. [Zavod "Azoval" (Plant "Azoval"), Zhdanov] Rolling Double-length Blooms in the 650 Blooming Mill at the Large Section Rolling Shop of the "Azoval" Plant 162

Kalenok, P.I. [Leningradskiy zavod po obrabotke tsvetnykh metallov (Leningrad Plant for Treatment of Nonferrous Metals)] Modernizing the Equipment of Roll-rolling Shops 163

Chernyak, S.H. [Leningradskiy zavod po obrabotke tsvetnykh metallov (Leningrad Plant for Treatment of Nonferrous Metals)] Improving Production of Aluminum-clad Iron 176

Gurevich, D.Ye. [Leningradskiy listoplatnyy zavod (Leningrad Sheet-rolling Mill)] Combined Method of Producing Roofing Sheets 182

SOV/137-58-12-24435

Translation from: Referativnyy zhurnal. Metallurgiya, 1958, Nr 12, p 69 (USSR)

AUTHOR: Yatsura, V. K.

TITLE: Utilization of Repeaters in Rolling Angles (Primeneniye obvodnykh apparatov pri prokatke uglovoy stali)

PERIODICAL: Tr. Mezhevuz. nauchno-tekhn. konferentsii na temu: "Sovrem. dostizh. prokatn. proiz-va", Leningrad, 1958, pp 155-157

ABSTRACT: Repeaters are used at the 360 and 280 mills of the im. Dzerzhinskiy Plant in the rolling (R) of angles, the front end being turned 180°. In R angles on the 250-1 mill of the Magnitogorsk Metallurgical Kombinat the repeater is installed between the 10th and the 11th stands, and the roll speed of both stands is set so that the loop would not jump out of the equipment. At the Transcaucasian Metallurgical Plant, a tilting repeater has been developed for the 320 mill to deliver Nr 2-5 angles from the sixth to the seventh leader stand. The R speed is 5 m/sec. A tilting guide is mounted at a 15° angle past the sixth stand.

Card 1/1

Ya. G.

AUTHOR: ~~Yatsuna, V. K.~~

133-58-5-7/31

TITLE: At the Zakavkazskiy Metallurgical Works (Na Zakavkazskom metallurgicheskom zavode)

PERIODICAL: Stal', 1958, Nr 5, p 404 (USSR)

ABSTRACT: Transfer of a blast furnace to high top pressure operation. The above change in the operation (top pressure 0.75 atm) increased the output by 3%, decreased coke rate by 2% and the flue dust losses by 25%. An investigation of the blast furnace operation with fluxed sinter. Introduction of fluxed sinter (basicity 1.0) did not improve operation of the furnaces as the quality of the sinter was low due to too coarse grinding of limestone.

Card 1/1

AUTHOR: Yatsura, V.K.

SOV/133-58-6-23/33

TITLE: In the Transcaucasian Metallurgical Works (Na Zakavkazskom metallurgicheskome zavode).

PERIODICAL: Stal', 1958, nr 6, pp 548 - 549 (USSR)

ABSTRACT: 1) An investigation of a transition rolling of tube semis 170 mm in dia. from blooms (without intermediary heating). In usual practice, tube semis below 230 mm in diameter are rolled from cold-dressed blooms which are reheated in the tube-rolling shop, while semis above 230 mm in diameter are rolled from blooms directly transported from the blooming mill without preheating (called transition rolling). It was found that by increasing soaking time of 6-ton ingots by 1 hour, direct rolling of semis of 170 mm in diameter is also possible. However, ingots used for such rolling should be selected from heats in which smelting and teeming practice was carried out without any disturbances.

2) Utilisation of defective tube semis. The possibility of re-rolling round tube semis, the dimensions of which were outside tolerances, was established. - Semis of a diameter 160-270 on the mill 900 into semis of a cross-section 100 x 100 mm for merchant mill and semis of a diameter 100-110 mm

Card 1/3

In the Transcaucasian Metallurgical Works

SOV/133-58-6-23/33

directly on a merchant mill.

3) Mastering of a transfer apparatus for rolling angle steel.

A transfer turning equipment for rolling Nr 4 angle on the mill 320 was designed and put into operation with satisfactory results.

4) An investigation of rolling angle Nr 4.

The investigation of the conditions required in order to obtain a symmetrical angle with a constant width of edges indicated that the first two passes (of the first and second stands of the group 320) should be made closed.

5) The choice of material for knives of tube cutting sheets. Tests of knives from various materials, thermally treated under different conditions indicated that for cutting low carbon steel tubes, knives, faced with high-speed cutting steel can be replaced by knives made from high carbon and high chromium steel produced on the works.

6) An improvement of the production of mandrels.

An investigation of mandrels of an automatic mill made from electrosteel with an increased content of manganese and mandrels of piercing mill containing 0.14% of Cr (instead of

Card 2/3

In the Transcaucasian Metallurgical Works

SOV/133-58-6-23/33

1.15 - 1.65%) showed them to be twice as durable as the usual one. The investigation is being continued.

7) Fixed mandrel for a piercing mill.

In co-operation with VNII, the preparatory work was carried out on the installation of a fixed water-cooled mandrel on the first piercing mill 400.

8) An investigation of the piercing process on the mill 140. Optimum operating conditions (without overloading the motor) for piercing hard steels and semis for heavy profiles were established.

Card 3/3 1. Rolling mills--Performance 2. Steel--Processing 3. Cutting tools
--Materials 4. Piercing mills--Equipment

SOV/133-58-6-24/33

AUTHOR: Zhetvin, N.P., Candidate of Technical Sciences

TITLE: In the "Serp i Molot" Plant (Na zavode "Serp i Molot")

PERIODICAL: Stal', 1958, nr 6, p 549 (USSR).

ABSTRACT: 1) Determination of power reserves of the mill 450 (in co-operation with TsNIITMASH)

In order to obtain a rational loading of the mill, the actual loads on the individual parts and mechanisms of the reducing stand under normal operating conditions were established. This made it possible to determine the possibility of increasing the throughput of the mill, by improving the design of the roll passes and the rolling technology by a more uniform distribution of reduction in the individual passes. Similar investigation of loads on the finishing line will be carried out.

2) Development of the technology of rolling of thin sheets for the production of polished drums.

It was found that sheets for the purpose can be obtained only from stainless metal free from carbonitrides of titanium.

Steel OKh18N9 smelted in arc furnaces from fresh materials was found to be most suitable. Steel is cast into 500 kg ingots which, before forging, are dressed to a depth of 15-20 mm.

Forged slabs are dressed before hot rolling. Hardened sheets

Card 1/2

AUTHOR: Yatsura, V.K.

SOV/133-58-6-32/33

TITLE: In the Transcaucasian Metallurgical Works (Na Zakavkazskom metallurgicheskom zavode)

PERIODICAL: Stal', 1958, nr 6, p 575 (USSR).

ABSTRACT: 1) Utilisation of the Tumanyansk natural mortar for the production of refractory masses. The possibility of utilising local natural refractory rocks for the production of refractory materials was investigated. It was established that on mixing powdered Tumanyansk rocks with 15-20% of Chas-Yavorsk clay, it can be used for the production of ladle and casting refractories.
2) An investigation of coatings for ingot tops. It was found that graphite in the usual coating mixture can be replaced by coke powder.
3) An investigation of substitutes for bunkerite. Replacing bunkerite with coke breeze does not lead to a deterioration of steel quality, providing the coke is dry. Otherwise, the coke moisture reacts with lime causing a sharp deterioration in the quality of steel.
4) The influence of chemical composition and structure of cast iron on the durability of ingot moulds for teeming killed steel.

Card1/2

In the Transcaucasian Metallurgical works

SOV/133-58-6-32/33

The durability of ingot mould increases with increasing silicon and ferrite content:

Silicon content, %	1.40-1.60	1.61-1.80	1.81-2.20
Durability of ingot moulds, castings	36	39	46
Ferrite content, %	0 - 20	21 - 50	≥ 51
Mean ingot life, castings	45	47	54

Card 2/2

1. Refractory materials--Sources
2. Steel--Production
3. Fuels--Effectiveness
4. Cast iron--Properties

AUTHOR: Yatsura, V.K.

SOV/133-58-11-18/25

TITLE: Conditions for Successful Application of Open-type
Passes for Rolling Angles (Usloviya uspehnogo primeneniya
otkrytykh kalibrov pri prokatke uglovoy stali)

PERIODICAL: Stal', 1958¹⁸₁₁ Nr 11, pp 1020 - 1021 (USSR)

ABSTRACT: Advantages and difficulties of rolling angles in open roll
passes are discussed. Rolling scheme used on the
Zakavkazskiy Works is described (Figure 2).
There are 4 figures and 3 Soviet references.

ASSOCIATION: Zakavkazskiy metallurgicheskiy zavod (Zakavkazskiy
Metallurgical Works)

Card 1/1

SOV/133-59-6-10/41

AUTHOR: Yatsura, V.K.

TITLE: On the Zakavkazskiy Metallurgical Works (Na Zakavkazskom metallurgicheskom zavode)

PERIODICAL: Stal', 1959, Nr 6, p 504 (USSR)

ABSTRACT: 1). Production of Magnesia containing sinter. The production of sinter containing up to 5.5% of magnesia was tested on a laboratory scale. It was found that additions of dolomite instead of limestone (up to 10%) have no influence on the sintering process but the strength and reducibility of the sinter produced were improved as well as its stability on storage in open air.
2). Sintering of sinter mixes containing burned lime. On laboratory sintering of mixes containing 4% of burned lime at 15 - 18% increase in sintering velocity was obtained. On the addition of 9% of burned lime the increase amounted to 25% without decreasing the quality of the sinter. Further increases

Card 1/2

SOV/133-59-6-10/41

On the ~~Zakav~~ Metallurgical Works

in the content of burned lime noticeably decrease
the quality of the sinter.

Card 2/2

AUTHOR: Yatsura, V.K., Engineer

SOV/133-59-6-17/41

TITLE: At the Zakavkazskiy Metallurgical Works (Na Zakavkazskom metallurgicheskom zavode)

PERIODICAL: Stal', 1959, Nr 6, p 525 (USSR)

ABSTRACT: 1. Open hearth sinter from the Dashkesan Ores. A satisfactory sinter for open hearth furnaces was produced from the above ore on addition to sinter mixes of 32-35% of scale (basicity 0.87; Fe content 59.3%). This sinter can replace Krivoy Rog open hearth ore thus saving on the cost of carriage.

2. An investigation of underskin blow holes in killed steel. The appearance of underskin blow holes in killed steel was traced as being caused by the accumulation of coating materials in cracks of the internal walls of ingot moulds.

3. The choice of the shape of the outlet from the runner to the ingot bottom for bottom teeming. In order to facilitate the breakage of the pouring system from the ingot, various shapes of the connecting gate were tested. A diffusor shaped gate gave the

Card 1/2

SOV/133-59-6-17/41

At the Zerkavskiy Metallurgical Works

best results.

4. An investigation for a substitute for lungerite. The possibility of using a mixture of equal parts of open hearth slag and coke breeze instead of lungerite on bottom pouring of low and medium carbon tube steels was tested. The mixture was found to give satisfactory results only when the surface of the metal rising into the shrinkage head is clear.

Card 2/2

SOV/133-59-6-29/41

AUTHOR: Yatsura, V.K., Engineer

TITLE: At the Zakavkarskiy Metallurgical Works (Na Zakavkazskom metallurgicheskome zavode)

PERIODICAL: Stal', 1959, Nr 6, p 552 (USSR)

ABSTRACT: 1) Repairs of steel rolls by welding on (in co-operation with the Zakavkarskiy Metallurgical Institute). Repair of rolls from steel 50 (of roughing stands, 320 mill) by automatic welding on under flux, was successfully introduced. Methods of welding on other rolls are being tested.
2) Liquid removal of slag from soaking pits. Continuous removal of liquid slag from centrally heated (oil) soaking pits was introduced. The slag notch was fitted with a gas burner and for the liquification of slag additions of a mixture of coke breeze and sand (4:1) are used.
3) Experimental rolling of 350 mm billets. Rolling of 6 ton ingots directly into 350 mm diameter tube billets was tested with negative results.

Card 1/3

At the Zakavskazkiy Metallurgical Works

SOV/133-59-6-29/41

4) An improvement in the operation of rolling machines. Operation of the tube rolling aggregate 400 was improved by changing the angle of inclination of the rolls from 6° (design angle) to $7^{\circ}30'$. This permitted increasing the temperature and speed of rolling with subsequent improvement in the uniformity of the wall thickness of the tubes.

5) Mastering of non-changeable mandrels (in co-operation with the Ukrainian NITI). The use of water cooled mandrels cast from steel 12KhN3A was successfully introduced on the piercing mill of 400 aggregate. The durability of the mandrels:

External tube diameter, mm	325	273-245	219	168
Number of piercing by mandrel	700-800	500-600	450-500	100

In view of the poor durability of cast mandrels for tubes 168 mm in diameter, experiments started in the

Card 2/3

At the Zakavkazkiy Metallurgical Works

SOV/133-59-6-29/41

application of forged mandrels of corresponding size.

Card 3/3

AUTHOR: Yatsurin, T., Principal 27-58-7-24/27

TITLE: In the Course of 20 Years (Za 20 let)

PERIODICAL: Professional'no-tekhnicheskoye obrazovaniye, 1958, Nr 7,
p 32 (USSR)

ABSTRACT: The article deals with the **Isetskoye School** for the Mechanization of Agriculture Nr 2. During the 20 years since its beginning, 6,000 agricultural specialists have been graduated. The school is well equipped with agricultural machinery and has an experimental farm of 150 ha.

ASSOCIATION: Isetskoye uchilishche mekhanizatsii sel'skogo khozyaystva Nr 2
(**Isetskoye School** for the Mechanization of Agriculture Nr 2)

1. Agriculture--Development--USSR

Card 1/1

YATSUTA, N. A.

Ca

Processes and Properties - Metals

Semifactory-scale experiments on obtaining calcium nitrate. N. A. Yatsuta, L. M. Kantorovich and V. A. Klevke. *J. Chem. Ind. (U. S. S. R.)* 13, 1280 (1930).—Details of the neutralization of CaCO_3 by weak HNO_3 in a tower are given. H. M. Leicester

ASSOCIATED METALLURGICAL LITERATURE CLASSIFICATION

1930-1939

1940-1949

1950-1959

1960-1969

1970-1979

1980-1989

1990-1999

2000-2009

2010-2019

2020-2029

2030-2039

2040-2049

2050-2059

2060-2069

2070-2079

2080-2089

2090-2099

2100-2109

2110-2119

2120-2129

2130-2139

2140-2149

2150-2159

2160-2169

2170-2179

2180-2189

2190-2199

2200-2209

2210-2219

2220-2229

2230-2239

2240-2249

2250-2259

2260-2269

2270-2279

2280-2289

2290-2299

2300-2309

2310-2319

2320-2329

2330-2339

2340-2349

2350-2359

2360-2369

2370-2379

2380-2389

2390-2399

2400-2409

2410-2419

2420-2429

2430-2439

2440-2449

2450-2459

2460-2469

2470-2479

2480-2489

2490-2499

2500-2509

2510-2519

2520-2529

2530-2539

2540-2549

2550-2559

2560-2569

2570-2579

2580-2589

2590-2599

2600-2609

2610-2619

2620-2629

2630-2639

2640-2649

2650-2659

2660-2669

2670-2679

2680-2689

2690-2699

2700-2709

2710-2719

2720-2729

2730-2739

2740-2749

2750-2759

2760-2769

2770-2779

2780-2789

2790-2799

2800-2809

2810-2819

2820-2829

2830-2839

2840-2849

2850-2859

2860-2869

2870-2879

2880-2889

2890-2899

2900-2909

2910-2919

2920-2929

2930-2939

2940-2949

2950-2959

2960-2969

2970-2979

2980-2989

2990-2999

3000-3009

3010-3019

3020-3029

3030-3039

3040-3049

3050-3059

3060-3069

3070-3079

3080-3089

3090-3099

3100-3109

3110-3119

3120-3129

3130-3139

3140-3149

3150-3159

3160-3169

3170-3179

3180-3189

3190-3199

3200-3209

3210-3219

3220-3229

3230-3239

3240-3249

3250-3259

3260-3269

3270-3279

3280-3289

3290-3299

3300-3309

3310-3319

3320-3329

3330-3339

3340-3349

3350-3359

3360-3369

3370-3379

3380-3389

3390-3399

3400-3409

3410-3419

3420-3429

3430-3439

3440-3449

3450-3459

3460-3469

3470-3479

3480-3489

3490-3499

3500-3509

3510-3519

3520-3529

3530-3539

3540-3549

3550-3559

3560-3569

3570-3579

3580-3589

3590-3599

3600-3609

3610-3619

3620-3629

3630-3639

3640-3649

3650-3659

3660-3669

3670-3679

3680-3689

3690-3699

3700-3709

3710-3719

3720-3729

3730-3739

3740-3749

3750-3759

3760-3769

3770-3779

3780-3789

3790-3799

3800-3809

3810-3819

3820-3829

3830-3839

3840-3849

3850-3859

3860-3869

3870-3879

3880-3889

3890-3899

3900-3909

3910-3919

3920-3929

3930-3939

3940-3949

3950-3959

3960-3969

3970-3979

3980-3989

3990-3999

4000-4009

4010-4019

4020-4029

4030-4039

4040-4049

4050-4059

4060-4069

4070-4079

4080-4089

4090-4099

4100-4109

4110-4119

4120-4129

4130-4139

4140-4149

4150-4159

4160-4169

4170-4179

4180-4189

4190-4199

4200-4209

4210-4219

4220-4229

4230-4239

4240-4249

4250-4259

4260-4269

4270-4279

4280-4289

4290-4299

4300-4309

4310-4319

4320-4329

4330-4339

4340-4349

4350-4359

4360-4369

4370-4379

4380-4389

4390-4399

4400-4409

4410-4419

4420-4429

4430-4439

4440-4449

4450-4459

4460-4469

4470-4479

4480-4489

4490-4499

4500-4509

4510-4519

4520-4529

4530-4539

4540-4549

4550-4559

4560-4569

4570-4579

4580-4589

4590-4599

4600-4609

4610-4619

4620-4629

4630-4639

4640-4649

4650-4659

4660-4669

4670-4679

4680-4689

4690-4699

4700-4709

4710-4719

4720-4729

4730-4739

4740-4749

4750-4759

4760-4769

4770-4779

4780-4789

4790-4799

4800-4809

4810-4819

4820-4829

4830-4839

4840-4849

4850-4859

4860-4869

4870-4879

4880-4889

4890-4899

4900-4909

4910-4919

4920-4929

4930-4939

4940-4949

4950-4959

4960-4969

4970-4979

4980-4989

4990-4999

5000-5009

5010-5019

5020-5029

5030-5039

5040-5049

5050-5059

5060-5069

5070-5079

5080-5089

5090-5099

5100-5109

5110-5119

5120-5129

5130-5139

5140-5149

5150-5159

5160-5169

5170-5179

5180-5189

5190-5199

5200-5209

5210-5219

5220-5229

5230-5239

5240-5249

5250-5259

5260-5269

5270-5279

5280-5289

5290-5299

5300-5309

5310-5319

5320-5329

5330-5339

5340-5349

5350-5359

5360-5369

5370-5379

5380-5389

5390-5399

5400-5409

5410-5419

5420-5429

5430-5439

5440-5449

5450-5459

5460-5469

5470-5479

5480-5489

5490-5499

5500-5509

5510-5519

5520-5529

5530-5539

5540-5549

5550-5559

5560-5569

5570-5579

5580-5589

5590-5599

5600-5609

5610-5619

5620-5629

5630-5639

5640-5649

5650-5659

5660-5669

5670-5679

5680-5689

5690-5699

5700-5709

5710-5719

5720-5729

5730-5739

5740-5749

5750-5759

5760-5769

5770-5779

5780-5789

5790-5799

5800-5809

5810-5819

5820-5829

5830-5839

5840-5849

5850-5859

5860-5869

5870-5879

5880-5889

5890-5899

5900-5909

5910-5919

5920-5929

5930-5939

5940-5949

5950-5959

5960-5969

5970-5979

5980-5989

5990-5999

6000-6009

6010-6019

6020-6029

6030-6039

6040-6049

6050-6059

6060-6069

6070-6079

6080-6089

6090-6099

6100-6109

6110-6119

6120-6129

6130-6139

6140-6149

6150-6159

6160-6169

6170-6179

6180-6189

6190-6199

6200-6209

6210-6219

6220-6229

6230-6239

6240-6249

6250-6259

6260-6269

6270-6279

6280-6289

6290-6299

6300-6309

6310-6319

6320-6329

6330-6339

6340-6349

6350-6359

6360-6369

6370-6379

6380-6389

6390-6399

6400-6409

6410-6419

6420-6429

6430-6439

6440-6449

6450-6459

6460-6469

6470-6479

6480-6489

6490-6499

6500-6509

6510-6519

6520-6529

6530-6539

6540-6549

6550-6559

6560-6569

6570-6579

6580-6589

6590-6599

6600-6609

6610-6619

6620-6629

6630-6639

6640-6649

6650-6659

6660-6669

6670-6679

6680-6689

6690-6699

6700-6709

6710-6719

6720-6729

6730-6739

6740-6749

6750-6759

6760-6769

6770-6779

6780-6789

6790-6799

6800-6809

6810-6819

6820-6829

6830-6839

6840-6849

6850-6859

6860-6869

6870-6879

6880-6889

6890-6899

6900-6909

6910-6919

6920-6929

6930-6939

6940-6949

6950-6959

6960-6969

6970-6979

6980-6989

6990-6999

7000-7009

7010-7019

7020-7029

7030-7039

7040-7049

7050-7059

7060-7069

7070-7079

7080-7089

7090-7099

7100-7109

7110-7119

7120-7129

7130-7139

7140-7149

7150-7159

7160-7169

7170-7179

7180-7189

7190-7199

7200-7209

7210-7219

7220-7229

7230-7239

7240-7249

7250-7259

7260-7269

7270-7279

7280-7289

7290-7299

7300-7309

7310-7319

7320-7329

7330-7339

7340-7349

7350-7359

7360-7369

7370-7379

7380-7389

7390-7399

7400-7409

7410-7419

7420-7429

7430-7439

7440-7449

7450-7459

7460-7469

7470-7479

7480-7489

7490-7499

7500-7509

7510-7519

7520-7529

7530-7539

7540-7549

7550-7559

7560-7569

7570-7579

7580-7589

7590-7599

7600-7609

7610-7619

7620-7629

7630-7639

7640-7649

7650-7659

7660-7669

7670-7679

7680-7689

7690-7699

7700-7709

7710-7719

7720-7729

7730-7739

7740-7749

7750-7759

7760-7769

7770-7779

7780-7789

7790-7799

7800-7809

7810-7819

7820-7829

7830-7839

7840-7849

7850-7859

7860-7869

7870-7879

7880-7889

7890-7899

7900-7909

7910-7919

7920-7929

7930-7939

7940-7949

7950-7959

7960-7969

7970-7979

7980-7989

7990-7999

8000-8009

8010-8019

8020-8029

8030-8039

8040-8049

8050-8059

8060-8069

8070-8079

8080-8089

8090-8099

8100-8109

8110-8119

8120-8129

8130-8139

8140-8149

8150-8159

8160-8169

8170-8179

8180-8189

8190-8199

8200-8209

8210-8219

8220-8229

8230-8239

8240-8249

8250-8259

8260-8269

8270-8279

8280-8289

8290-8299

8300-8309

8310-8319

8320-8329

8330-8339

8340-8349

8350-8359

8360-8369

8370-8379

8380-8389

8390-8399

8400-8409

8410-8419

8420-8429

8430-8439

8440-8449

8450-8459

8460-8469

8470-8479

8480-8489

8490-8499

8500-8509

8510-8519

8520-8529

8530-8539

8540-8549

8550-8559

8560-8569

8570-8579

8580-8589

8590-8599

8600-8609

8610-8619

8620-8629

8630-8639

8640-8649

8650-8659

8660-8669

8670-8679

8680-8689

8690-8699

8700-8709

8710-8719

8720-8729

8730-8739

8740-8749

8750-8759

8760-8769

8770-8779

8780-8789

8790-8799

8800-8809

8810-8819

8820-8829

8830-8839

8840-8849

8850-8859

8860-8869

8870-8879

8880-8889

8890-8899

8900-8909

8910-8919

8920-8929

8930-8939

8940-8949

8950-8959

8960-8969

8970-8979

8980-8989

8990-8999

9000-9009

9010-9019

9020-9029

9030-9039

9040-9049

9050-9059

9060-9069

9070-9079

9080-9089

9090-9099

9100-9109

9110-9119

9120-9129

9130-9139

9140-9149

9150-9159

9160-9169

9170-9179

9180-9189

9190-9199

9200-9209

9210-9219

9220-9229

9230-9239

9240-9249

9250-9259

9260-9269

9270-9279

9280-9289

9290-9299

9300-9309

9310-9319

9320-9329

9330-9339

9340-9349

9350-9359

9360-9369

9370-9379

9380-9389

9390-9399

9400-9409

9410-9419

9420-9429

9430-9439

9440-9449

9450-9459

9460-9469

9470-9479

9480-9489

9490-9499

9500-9509

9510-9519

9520-9529

9530-9539

9540-9549

9550-9559

9560-9569

9570-9579

9580-9589

9590-9599

9600-9609

9610-9619

9620-9629

9630-9639

9640-9649

9650-9659

9660-9669

9670-9679

9680-9689

9690-9699

9700-9709

9710-9719

9720-9729

9730-9739

9740-9749

9750-9759

9760-9769

9770-9779

9780-9789

9790-9799

9800-9809

9810-9819

9820-9829

9830-9839

9840-9849

9850-9859

9860-9869

9870-9879

9880-9889

9890-9899

9900-9909

9910-9919

9920-9929

9930-9939

9940-9949

9950-9959

9960-9969

9970

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310013-5

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310013-5"

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310013-5

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310013-5"

YATSYSHINA, T.A.; POTEKAYEVA, M.A.

Clinical and morphological studies of a subclinical and latent course of Botkin's disease based on data of a puncture biopsy of the liver. Vop.med.virus. no.9:292-297 '64.

(MIRA 18:4)

1. Iz laboratorii rukovodimoy deystvitel'nyy chlenom AMN SSSR prof. Ye.M.Tareyevym.

SENDEROVICH, B., inzh.; YUDIN, D., inzh.; YATSYK, G., inzh.

Industrial teams at the construction of the Kremenchug Hydro-
electric Power Station. Sots.trud. 4 no.9:114-116 S '59.
(MIRA 13:1)

1. "Kremenchugstroy."

(Kremenchug Hydroelectric Power Station)

YATSYK, G. Ye., inzh.

Machine for key slot cutting on bore rods. Gor.zhur. no.7:73
J1 '60. (MIRA 13:7)

1. TSibul'nikovskiy kar'yer Kremenchuggesstroya.
(Cutting machines) (Boring machinery)

SENDEROVICH, B.L., inzh.; YUDIN, D.G., inzh.; YATSYK, G.Ye., inzh.

Construction of concrete slope lining of earth structures using
bulldozers. Energ. stroi. no.20:79-81 '61. (MIR: 15:1)

1. Normativno-issledovatel'skaya stantsiya No.18 na stroitel'stve
Kremenchugskoy gidroelektrostantsii.
(Khrmenchug Hydroelectric Power Station--Concrete construction)
(Bulldozers)

YATSYK, I. YA.

YATSYK, I. YA. -- "Investigation in the Field of the Quantitative Determination of Titanium in Titaniferous Ores and Concentrates." Moscow State U imeni M. V. Lomonosov, Chemical Faculty, Chair of Analytical Chemistry, Moscow, 1955. (Dissertations for the Degree of Candidate in Chemical Science)

SO: Knizhnaya Letopis: No. 39, 24 Sept 55

S/137/62/000/003/185/191
A154/A101

AUTHORS: Yatsyk, I. Ye.; Orzhekhovskaya, A. I.

TITLE: Determination of cerium in iron-based alloys

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 3, 1962, 6, abstract 3 K 27
("Sb. nauchno-tekhn. tr. N.-1. in-t metallurgii Chelyab sovmarkhoza",
1961, vyp. 3, 205 - 210)

TEXT: A method was proposed for photocolorimetric determination of Ce in a Fe-based alloy in amounts of 0.01 - 1.0 %. 1 g of steel was dissolved in a 100-ml retort in 20 ml of HCl, oxidized by HNO_3 , evaporated twice with 10 ml of HCl, another 10 ml of HCl was added, and the contents were evaporated until moist salts were obtained. The solution was transferred to a separating funnel, and concentrated HCl, saturated with ethyl ether (5 - 6 ml of acid per 1 g of Fe), and 30 ml of ethyl ether were added. The ether layer was separated from the water layer. The funnel was rinsed with 5 ml of ether-saturated HCl. The solution was allowed to settle, the acid layer combined, and the ether layer thrown away. The Fe-free solution was boiled to remove the ether, concentrated by evaporation, 10 ml of H_2SO_4 was added, and the solution concentrated by evaporation

Card 1/2

Determination of cerium in iron-based alloys

S/137/62/000/003/185/191
A154/A101

until the appearance of SO_3 vapors. The salts were dissolved in water, the solution was transferred into an Erlenmeyer flask by water, and Cr and Mn were oxidized by ammonium persulfate in the presence of 20 ml of a 0.25 % solution of AgNO_3 . A 25 % solution of NH_4OH was added to the cooled solution until an odor was produced, whereby Ce, Fe, Ti and other hydroxides were precipitated. This precipitate was then separated and dissolved in HCl (1 : 1). The solution was evaporated down to 10 ml, 30 ml of a $\text{Ca}(\text{OH})_2$ suspension was added, and the solution evaporated dry. It was then twice concentrated by evaporation with 5 ml of HCl . The dry residue was dissolved in 10 ml of HCl , evaporated until moist salts were left, 15 ml of oxalic acid was added, and the solution diluted to 30 ml with water. The precipitate and the filter were placed into a retort, 10 ml of a mixture of boric and citric acids were added, the solution was filtered, 20 ml of water was added and the solution was boiled, turning the filter into paper pulp. This pulp was then filtered off, the filtrate evaporated down to 25 ml, cooled, 20 drops of a 1% solution of H_2O_2 and 15 drops of a 25 % solution of NH_4OH were added. The solution was transferred after 15 minutes to a 50 ml retort, diluted with water till it reached the mark, and analyzed on a ФЭК-М (FEK-M) photocolormeter with a blue light filter.

L. Vorob'yeva

[Abstracter's note: Complete translation]

Card 2/2

YATSYKOV, A.

A flagman of the Arctic Fleet- icebreaker "I-STALIN", Tekhniki Molodezhi (Technology of the Youth)." Issue No. 5, 1939.

ABUBAKIROV, N.K.; YATSYN, V.K.

Investigation of the Central Asian varieties of licorice
with regard to their content of glycyrrhizic acid. Uzb.khim.
zhur. no.5:81-86 '59. (MIRA 13:2)

1. Institut khimii rastitel'nykh veshchestv AN UzSSR.
(Asia, Central--Licorice) (Glycyrrhizic acid)

ABUBAKIROV, N.K.; YATSYN, V.K.

Obtaining glycyrrhizic and glycyrrhetinic acid from the extract
of licorice root. Med. prom. 14, no.5:31-34 My '60.

(MIRA 13:9)

1. Institut khimii rastitel'nykh veshchestv Akademii nauk Uzbekskoy
SSR.

(GLYCYRRHIZIC ACID)

(GLYCYRRHETININ ACID)

PA 15/49T79

YATSYNA, L. T.

USSR/Medicine - Insecticides

Medicine - Insects, Eradication

Apr 48

"Hexachlorane and the Problem of a Chemical Means
of Controlling Wire Worms," A. H. Kasikhin,
Cand Agr Sci, L. T. Yatsyna, Cand Agr Sci, Moscow
Affiliate of VIZR, 3 3/4 pp

"Dok V-S Ak Selkhoz Nauk" No. 4

Describes tests of new USSR preparation of
hexachlorane in Moscow branch, All-Union Inst of
Plant Protection. Insecticide is applied with
fertilizer for grain crops and placed in hole
before planting kok-sagyz. Research continues.

15/49T79

USSR / General and Special Zoology. Insects. Insect
and Mite Pests.

P

Abs Jour: Ref Zhur-Biol., No 12, 1958, 54319.

Author : Yatsyna, L. I.; Kirushev, A. G.

Inst : Not given.

Title : A Chemical Control Method for the Colorado Potato
Beetle.

Orig Pub: Zashchita rast. ot vredit. i bolezney, 1957, No 4-46.

Abstract: The station of the Ministry of Agriculture USSR for
the study of the beetle, tested 337 insecticidal
preparations in the German Democratic Republic.
The most toxic preparations were DDT and hexachloro-
cyclohexane, and also dieldrin, heptachlorine,
aldrin, preparation Ya-120, thiophos, dithiophos,
taxonomic preparation No 120 (against the larva of
stage IV). The application of 400 kg/ha. of DD

Card 1/3

14

USSR / General and Special Zoology. Insects. Insect
and Mite Pests.

P

Abs Jour: Ref Zhur-Biol., No 12, 1958, 54319.

Abstract: (1,3-dichloropropane-1,2-dichloropropane) secured
complete destruction of the diapausing beetles.
The fumigant A-1-8 from the INOKh [Institute of
Vegetable Raising?] of the Academy of Sciences USSR
was not inferior to dichloroethane and carbon bi-
sulfide in toxicity. A fine spraying of 200 liters
per ha. is the most effective and the most efficient
method of applying the contact insecticide. The
best result was produced by the DDT paste (2.2 kg/ha.
of the active substance). DDT emulsion was also
very effective against the beetles of the second
generation. The feasibility of using aerosol method
was proven in principle. The most effective period
for treatment is during the first emergence of the
larva of the III stage, when the larva of the stage I

Card 2/3

USSR / General and Special Zoology. Insects. Insect
and Mite Pests.

P

Abs Jour: Ref Zhur-Biol., No 12, 1958, 54319.

Abstract: are crowded, and the main mass of the beetles is
on the surface of the ground. It is better to
destroy the beetles of the summer generation during
the first 10 days after their appearance. -- A. P.
Adrianov.

Card 3/3

15

YATSYNA, VYACHESLAV A.

Ekonomika postroiki zheleznikh, dorog; moshchnost' parovoza, khodovaya skorost' i predek'nyi uklon. [The economics of railroad construction; locomotive power, running speed and limited gradient.] Moskva, Transpechat', 1924/. 198 p. diagrs., fold. col. map.

DLC: HE1611.I 3

SO: Soviet Transportation and Communications, A Bibliography, Library of Congress Reference Department, Washington 1952, Unclassified.

YATSYNA, V.N.

Effect of sodium bentonite on the structure formation of concretes.
Dop. AN URSR no.2:232-235 '64. (MIRA 17:5)

1. Kiyevskiy inzhenerno-stroitel'nyy institut. Predstavleno akade-
mikom AN UkrSSR F.D.Ovcharenko.

YATSYNA, Yu.M., fel'dsher (selo Starobichevo Zakarpatskoy oblasti).

Dental care in the village. Fel'd i akush. 24 no.2:45-46 Fe '59.
(TRANSCARPATHIA--DENTISTRY) (MIRA 2:3)

YATSYNIN, L. N.

"Diseases of Cotton," Instruktsii Dlia Nabliudatel'nykh Puntov, Vsesoiuznoe Gosudarstvennoe Ob'edinenie po Bor'be s Vreditel'iami i Bolezniam v Sel'skom i Lesnom Khoziaistve, Upravlenie Sluzhby Ucheta, no. 5, 1932, pp. 3-35. 464.9 V96

SO: SIRA SI-90-53, 15 Dec. 1953

1. YATSYNIN, L. [11]
2. USSR- (600)
4. Irrigation farming
7. Problems of the science of irrigated cotton farming in the Volga-Don zone.
Khlopkovodstvo, No.9, 1952

9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

1. YATSYNIN, L. [N.]
2. USSR (600)
4. Cotton Growing
7. Problems of the science of irrigated cotton farming in the Volga-Don zone, Khlopkovodstvo, No. 10, 1952.

9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

1. YATSYNIN, N. N.
2. USSR (600)
4. Eggs - Production
7. Egg-laying contests of hens. Ptitsevodstvo no. 2, 1952.

9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

1. YATSYNIN, N. N.
2. USSR (600)
4. Poultry Industry - Krasnodar Territory
7. Successes of poultry raisers on the Kuban' State Poultry Farm (Krasnodar Territory). Ptitsevodstvo no. 5, 1952.
9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

SMETNEV, S.I., prof., doktor sel'skokhoz.nauk; BOGDANOV, M.N., zootekhnik;
 GOFMAN, M.B., zootekhnik; GRIGOR'YEV, G.K., zootekhnik; ZHIDKIKH,
 Z.A., kand.sel'skokhoz.nauk; PENIONZHKEVICH, E.E., doktor biolog.
 nauk, prof.; PREVO, A.A., kand.biolog.nauk; TRET'YAKOV, N.P., doktor
 sel'skokhoz.nauk, prof.; USPENSKIY, A.A., kand.sel'skokhoz.nauk;
 USHAKOV, A.A., kand.veterin.nauk; SHAPOVALOV, Ya.Ya., kand.sel'sko-
 khoz.nauk; YAGODIN, P.Ye., zootekhnik; YATSYNIN, N.N., zootekhnik; FEDO-
 ROVSKIY, N.P., kand.biolog.nauk; SYCHIK, Ye.V., red.; PAVLOVA, M.M., tekhred.

[Poultry raising; a manual for farm managers] Ptitsevodstvo;
 rukovodstvo dlia zaveduiushchego fermoi. Izd.5, perer.i dop.
 Moskva, Gos.izd-vo sel'khoz.lit-ry, 1957. 495 p. (Bibliotekhka
 po ptitsevodstvu, no.1) (MIRA 12:4)

1. Deystvitel'nyy chlen Vsesoyuznoy akademii sel'skokhozyaystvennykh
 nauk im. V.I.Lenina (for Smetnev).
 (Poultry)

YATSININ, B. N.
BOGDANOV, M.; BEREL'SON, A.; VOLKOV, V.; VOZNESENSKIY, S.; ZELENUKHIN, S.;
IOFE, N.; KORENEV, P.; KRIVINSKAYA, I.; KULAGIN, M.; MARSVIN, M.;
MIHAKOVA, P.; POPOVA, M.; SUKHNEV, S.; SHTALTOVNYI, A.; FALEYEVA, L.
FROKTISTOV, P.; CHULANOVA, M.; YATSYNIN, N.

Obituary. Ptitsevodstvo 9 no.2:48 F '59. (MIRA 12:3)
(Shutov, Nikolai Ivanovich, d. 1958)

1ST AND 2ND ORDERS										PROCESSES AND PROPERTIES INDEX									
YATSUNAKA, N.										15									
<p>ca</p> <p>The influence of fertilizers on the susceptibility of potatoes to disease. K. N. YATSUNAKA, <i>Udohrenia i Urozhai</i> (Fertilizers and Yields) 1929, 103-6.—Manure from various sources—cow, horse, pig, etc.—had no influence on the extent of disease infection of potatoes. The time of applying the manure seems to have some influence. On sandy soils the fall application is better than the spring. There was not enough evidence to draw any definite conclusions. Lime increased the amt. of scab, especially on sandy soils.</p> <p>J. S. Jorva</p>																			
ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION										EXTENT OF									
MATERIALS INDEX										PROCESS INDEX									
GROUPS										SUBJECTS									
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100										1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100									

YATSYNINA, K. N. (Co-author)

See: SAVZDARG, E. E.

YATSYNINA, K. N. "On the Use of Lime-sulfur Preparations in the Control of Scab of Fruit Trees," Bolezni Rastenii, Vestnik Otdela Fitopatologii Glavnogo Botanicheskogo Sada SSSR, vol. 19, no. 3-4, 1930, pp. 123-148. 464.8 Z6

So: Sira - Si - 90 - 53, 15 December 1953

YATSYMINA, K-N.

12

A new bacterial disease of the melon. K. N. Yatsymina. *Microbiology* (U. S. S. R.) 8, 756 (1969 English, 780) (1939).—The isolated bacteria resembled *B. tabacum* Wolf et Foster and *B. lachrymans* Sm. et Bryan. Many melon varieties in S. Kazakhstan are affected by the disease. Among 7 disinfectants tested, NIUP No. 1, dil. 1:1000, gave best results when infected seeds were treated with it for 15 min. Almost as good is H_2O_2 1:1000 for 5-10 min. Neither of them affected germination of the seeds. HCOH and dry fungicides were only slightly toxic to the bacteria. T. Laanes

ASD-51A METALLURGICAL LITERATURE CLASSIFICATION

SEARCHED INDEXED

FILED

YATSYVINA, K.N.		PROCESSING AND PREPARATION INDEX	
<p>YATSYVINA (Mina K. N.). Breeding for Tomato variety resistant to bacterial cancer <i>Aplanobacter michiganense</i> E. F. Smith.—<i>C. R. Acad. Sci. U.R.S.S.</i>, N.S., xxxii, 5, pp. 372-373, 1941.</p> <p>In inoculation tests carried out during 1939 in hot beds out of doors and on a field plot, 25 plants out of a total of 2,728 inoculated tomato hybrids from crosses between currant tomato (<i>Lycopersicum pimpinellifolium</i>) and different cultivated varieties showed signs of resistance to bacterial canker (<i>Aplanobacter</i> [<i>Corynebacterium</i>] <i>michiganense</i>) [<i>R.A.M.</i>, xxi, p. 173]. In the following year progeny of these plants were again found to be very resistant, although not immune. Among them, Lucullus × Currant (No. 1) and Danish Export × Currant (Nos. 9 and 22) showed particularly good growth: none of the three suffered any mortality and their yields were 1-8, 1-7, and 1-5 kg. per plant, respectively. Hybrids from 146 other crosses (6,500 plants tested in 1939 and 1,620 in 1940) showed no resistance to the disease. Of several <i>Lycopersicum</i> species tested, only <i>L. pimpinellifolium</i> showed a strong degree of resistance.</p>			
458-55A METALLURGICAL LITERATURE CLASSIFICATION		ESTABLISHMENT	
FROM SYNOPTIC		FROM SUMMARY	
INFORMED BY ONLY GEL		RELATIONS	
LAWSON #2		COLLECTED BY ONLY 101	

YATSYNINA, K. N.

Yatsynina, K. N. "Virus withering of cucumbers," Trudy nauch.-issled. in-ta
oveshch. khoz-va, Vol. I, 1948, p. 241-51

SO U-3264, 10 April 1953, (Letopis 'Zhurnal 'nykh Statey, No. 3, 1949)

YATSYNINA, K. N.

"Tomato Varieties Resistant to Stem Rot," Sad i Ogorod, no. 1, 1951, pp. 57-58
80 Sal 3

So: SIRA Si 90-53, 15 Dec. 1953

BABENKO, N.S.; TAL'KO-GRINTSEVICH, P.P.; YATSYNINA, N.L.

Methods and direct current apparatuses for testing small
specimens of magnetically soft materials. Trudy inst. Kom.stan.mer.
i diam. prib no.64:93-99 '62. (MIRA 16:5)
(Magnetic measurements--Equipment and supplies)

LATYSHEV, K.V.; YATSYNO, A.T.; DUDIN, V.V.; FILIPPOVA, L.S., red.;
GROMOV, Yu.V., tekhn. red.

[Repair and modernization of axle equipment with journal bearings] Remont i modernizatsiia buksovogo uzla s podshipnikami skol'zhenia. Moskva, Vses. izdatel'sko-poligr. ob'edinenie M-va putei soobshchenia, 1961. 52 p. (MIRA 15:2)
(Car axles) (Bearings (Machinery))

YATSYNO, L. P.

Yatsyno, L. P.

"The Growth and Renewal of Forest Bands on Ordinary Chernozems of the Central Volga Region." Min Higher Education USSR. Voronezh Forestry Inst. Voronezh, 1955 (Dissertation for the degree of Candidate in Agricultural Sciences)

SO: Knizhnaya letopis' No. 27, 2 July 1955

CATEGORY : FORESTRY . FOREST CULTURES.

ABS. JOUR. : Ref Zhur-Biologiya, No.1, 1959, No. 1497

AUTHOR : Yatsyno, L.P.

INST. :

TITLE : The Growth and Restoration of Forest Belts in Ordinary Chernozems of the Middle Volga Region.

ORIG. PUB. : Lesn. kh-vo, 1958, No.1, 28-31

ABSTRACT : Narrow and broad (400 to 600 m.) belts were investigated in a number of sections of Saratov and Kuybyshev oblasti. In the majority of cases elm predominates in the belts, but at a number of places by tree-felling maintenance, a predominance of oak, birch, ash and pine has been attained. It was determined that with increase of age the belts decline in height gain and change to lower locality*which is, however, compensated by the increase in thickness gain.

* class

CARD:

1/2

COUNTRY :
CATEGORY :

ABS. JOUR. : REF ZHUR - BIOLOGIYA, NO.1, 1959 No. 1497

AUTHOR :
INST. :

TITLE :

ORIG. PUB. :

ABSTRACT : The elm, ash and oak reduce the locality class 1.5 to 3 classes, while the birch, maple and pine reduce by 0.5 to 1 class. The narrow belt plantings have higher average diameter than the usual (by 1.5 to 2.2 times), but the number of trunks in them is less. The sparsity of stand is covered by the greater thicknesses. In 50 to 60 years the majority of deciduous trees preserve brush growth capacity (excepting birch). Seed restoration is feeble,

CARD: 2/2

37

ABS. JOUR. : REF ZHUR - BIOLOGIYA, NO.1, 1959

No. 1497

AUTHOR :
INST. :

ORIG. PUB. :

ABSTRACT : and Norway spruce and ash give good second growth. The effect of tree-felling maintenance on the form and structure of plantings is described. Recommendations are given on selection of restorative tree-fellings.

L.V. Nosmelov

VASISHVILI, T.D., gornyy inzh.; SKRIPKA, P.F., gornyy inzh.; YATSYSHEN, G.N.,
gornyy inzh.

Experiment in hydraulic gob filling. Ugol' 36 no.5:31-33 My '61.
(MIRA 14:5)

1. Institut gornogo dela im. A.A.Skochinskogo (for Vasishvili).
2. UkrNIIGidrougol' (for Skripka). 3. Khristoforovskoye shakhtq-
upravleniye (for Yatsyshen).
(Donets Basin—Mine filling) (Hydraulic mining)

YATSYSHIN, A. I.

USSR/Diseases of Farm Animals. Diseases of Unknown Etiology. R-3

Abs Jour : Ref Zhur-Biol., No 20, 1958, 92743

Author : Ponomarenko, F. M., ~~Yatsyshin, A. I.~~
Inst : Kiev Veterinary Institute.
Title : A Bovine Catarrhal Bronchitis Disease.

Orig Pub : Tr. Kiyevsk. vet. in-ta, 1957, 13, 191-200

Abstract : The disease was characterized in the animals in the beginning by occasional tussiculation without any clinical symptoms of the lungs being affected. Later, a suffocating coughing fit would develop during which an "explosion" having force of a cough accompanied by peculiar "roaring" moans would ensue. Simultaneously a thick clot having an arborescent form

Card : 1/3

USSR/Diseases of Farm Animals. Diseases of Unknown Etiology. R-3

Abs Jour : Ref Zhur-Biol., No 20, 1958, 92743

would be ejected through the oral cavity. After this an improvement in the general condition followed and the animals recovered. The duration of the disease was from a few days to 2-3 weeks. The clots had a weight of 19-82 g and a length of 19-25 cm. The surface of some areas was smooth. Other areas were rough and covered with pyo-mucous deposits. The general structure of the clots consisted of a fibrous base and within it the cells (neutrophils, eosinophils, erythrocytes, rarely migrating cells, and the cells of the desquamated bronchial epithelium). The etiology of the disease remained unexplained.

Card : 2/3

USSR/Diseases of Farm Animals. Diseases of Unknown Etiology. R-3

Abs Jour : Ref Zhur-Biol., No 20, 1958, 92743

In the opinion of the authors it is a peculiar form of the protein metabolism disturbance. -- A. D. Musin

Card : 3/3

35

(assist. prof.)
YATSYSHIN, A. I., PONOMARENKO, F. M. and SKIRTA, O. M. (Assistant Professor,
Professor, Senior Laboratory Assistant, Ukrainian Academy of Agricultural Sciences)

Pathological, morphological and pathogenic characteristics of virus
gastroenteritis in swine.

Veterinariya vol. 38, no. 9, September 1961, pp. 39.

PONOMARENKO, Fedor Mikhaylovich, prof.; YATSYSHIN, Anatoliy
Iosifovich[Iatsyshyn, A.I.]; NASTENKO, Kuz'ma Afanas'yevich;
REVENKO, Ivan Petrovich, kand. veter. nauk; SKIRTA, Ol'ga
Mikhaylovna [Skyrta, O.M.]; PETRENKO, B.G.[Petrenko, B.H.],
doktor veter. nauk, prof., red.; DOBRZHANSKIY, V.M.
[Dobrzhans'kyi, V.M.], red.; MANOYLO, Z.T., tekhn. red.

[Edema disease in swine] Nabriakova khvoroba svinei. Kyiv,
Vyd-vo Ukrains'koi Akad. sil's'kohospodars'kykh nauk, 1961.
69 p. (MIRA 17:3)

PONOMARENKO, F.M., prof.; YATSYSHIN, A.I., dotsent; SKIRTA, O.M.,
starshiy laborant

Pathomorphologic and pathogenic characteristics of viral
gastroenteritis in swine. Veterinariia 38 no.9:39-40 S '61.
(MIRA 16:8)

1. Ukrainskaya akademiya sel'skokhozyaystvennykh nauk.

OSTAPENKO, K.; KRYKIN, A.; DUL'NEV, V.I.; OSETROV, V.S.; TOPALYAN, K.M.;
FEDOROV, Yu.; YATSYSHIN, A.I.; TITOK, V.A.; YEPIFANOV, G.;
RASTEGAYEV, Yu.

Controlling little-known animal diseases. Veterinariia 42
no.8:118-124 Ag '65. (MIRA 18:11)

YATSYSHIN, A.M.

BOBROV, A.B.; SIBIRYAKOV, A.A.; AKATNOV, I.N.; BIL'DE, A.E.; KOZIN, A.I.,
GROSMAN, I.S.; BASKAKOV, A.I.; YATSYSHIN, A.M.; TRUNOV, A.F.;
KUPFUZOV, N.L.; VICHIK, Ya.B.; CHUMBAROVA, A.A.; PRYAKHIN, R.I.;
ZINOV'YEV, N.I.; MIKHAYLOVA, S.I.

Georgii Alekseevich Uarov. Muk.-elev.prom. 21 no.1:31 Ja '55.
(Uarov, Georgii Alekseevich, 1898-1954) (MIRA 8:5)

YATSYSHIN, Bogdan Ivanovich [Iatsyshyn, V.I.]; DOROSHENKO, M.,
red.

[Weeds and their chemical control] Bur'iany i khimichna
borot'ba z nymy. L'viv, Knyzhkovo-zhurnal'ne vyd.-vo,
1963. 63 p. (MIRA 17:9)

SEMENDYAYEVA, M.Ye.; YATSYSHINA, T.A.

Significance of puncture biopsy of the liver in evaluating the
outcome of epidemic hepatitis. Sov. med. 28 no.5:80-83 My '65.
(MIRA 18:5)

1. Laboratoriya deystvitel'nogo chlena AMN SSSR prof. Ye.M. Tareyeva
i Klinika lechebnogo pitaniya (zav. - prof. I.S.Savoshchenko)
Instituta pitaniya (dir. - chlen-Korrespondent AMN SSSR prof.
A.A.Pokrovskiy) AMN SSSR, Moskva.

YATSYSHINA, T.A.; NESGOVOROVA, L.I.

Primary cancer of the liver associated with cirrhosis. Trudy
1-MMI 16:75-87 '62. (MIRA 17:4)

1. Iz kafedry obshchey terapii i professional'nykh zabolevaniy
sanitarno-gigiyenicheskogo fakul'teta (zav. - deystvitel'nyy
chlen AMN SSSR prof. Ye.M.Tareyev) i Moskovskogo ordena Lenina
meditsinskogo instituta imeni Sechenova.

SOBOLEV, V.M.; PROKOF'YEV, Ya.N.; BUBNOVA, I.A.; YATSYSHINA, T.N.

Separation of isobutylene from isobutylsulfuric acid by
hydrocarbons without diluting acid with water. Khim.
prom. no. 4:268-272 Ap '64. (MIRA 17:7)

YATSYUK, Arseniy Ivanovich, rektor, kand. tekhn. nauk; BILYI, M.
[Bilyi, M.], red.; BURKATOVSKAYA, TS.[Burkatovs'ka, TS.],
tekhn. red.

[Science which serves the people, and science which is a
servant of monopolies] Nauka shcho sluzhyt' narodovi, i na-
uka - prysluzhnytsia monopolii. L'viv, Knizhkovy-
zhurnal'ne vyd-vo, 1962. 43 p. (MIRA 15:11)

1. L'vovskiy lesotekhnicheskyy institut)
(Research) (United States--Research)

YATSYUK, A.I. (L'viv)

Determining residual axial stresses in steel resulting from turning.
Prikl. mekh. 2 no. 4: 420-424 '56. (MLRA 10:3)

1. Institut mashinovedeniya ta avtomatiki AN URSR.
(Strains and stresses) (~~turning~~)

KARPENKO, G.V., doktor tekhnicheskikh nauk, professor.; YATSIUK, A.I.,
inzhener.

Effect of power cutting on steel endurance. Vest.mash. 36 no.10:
32-34 0 '56. (MLBA 9:11)
(Steel--Testing) (Metal cutting)

YATSYUK, A. I. Cand Tech Sci -- (diss) ^{pm} "The Effect of Large-Feed
Lathe Machining on the Fatigue Strength of Steel." Kiev, 1957.

^(with 2.00 km)
11 pp, 22 cm. (Academy of Sciences Ukrainian SSR, Inst of
~~XXXXXXXXXXXXXXXXXXXX~~ ^{Construction} Structural Mechanics), 100 copies

(KL, 17- 57, 97)

- 43 -

YATSYUK, A.I.

KARPENKO, G.V.; YATSYUK, A.I.

Effect of mechanical processing of steel on its fatigue strength.
[with summary in English]. Dop. AN URSR no.1:23-26 '57. (MLRA 10:4)

1. Institut mashinostroyeniya i avtomatiki AN URSR. Predstaviv akademik
AN URSR G. M. Savin.
(Steel--Fatigue)

YATSYUK, A.I.

124-58-6-7207

Translation from: Referativnyy zhurnal, Mekhanika, 1958, Nr 6, p 125 (USSR)

AUTHOR: Yatsyuk, A.I.

TITLE: The Effect of Power Cutting on the Fatigue Strength of Steel
(Vliyaniye silovogo rezaniya na ustalostnuyu prochnost' stali)

PERIODICAL: Nauchn. zap. In-ta mashinoved. i avtomatiki. AN UkrSSR,
1957, Vol 6, pp 33-41

ABSTRACT: It is demonstrated experimentally that power cutting reduces the endurance of steel parts having to perform in air. A still greater drop in endurance is observed when steel parts undergo cyclic stresses in water. It is shown that roller-knurling of parts that have been power-cut greatly increases their endurance both in air and, especially, in corrosive media.

From the resumé

1. Steel--Mechanical properties
2. Steel--Machining
3. Steel--Vulnerability

Card 1/1

YATSYUK, A.I.

124-58-6-7190

Translation from Referativnyy zhurnal, Mekhanika, 1958, Nr 6, p 124 (USSR)

AUTHORS: Karpenko, G.V., Yatsyuk, A.I., Yanchishin, F.P.

TITLE: The Influence of Mercury on the Strength and Endurance of Construction Materials (Vliyaniye rtuti na prochnost i vyнослиvost' konstruktsionnykh materialov)

PERIODICAL: Nauchn. zap. In-ta mashinoved. i avtomatiki AN UkrSSR, 1957, Vol 6, pp 42-49

ABSTRACT: It is shown that mercury reduces the strength of brass and Duralumin, making them brittle. It does not affect the mechanical properties of steel or copper. It does reduce the endurance of brass, Duralumin, and steel. An account is given of why mercury acts as it does.

From the resumé

1. Metals--Mechanical properties
2. Mercury--Metallurgical effects

Card 1/1

YATSYUK, A.I.

SOV/124-58-5-6144

Translation from: Referativnyy zhurnal, Mekhanika, 1958, Nr 5, p 157 (USSR)

AUTHOR: Yatsyuk, A.I.

TITLE: A New Method of Determining of Residual Axial Stresses
(Novyy metod opredeleniya ostatochnykh osevykh napryazheniy)

PERIODICAL: Nauchn. zap. In-ta mashinoved. i avtomatiki AN UkrSSR,
1957, Vol 6, pp 83-91

ABSTRACT: A method of determining machining stresses generated in
cylindrical articles is described.

Reviewer's name not given

1. Metals--Machining 2. Metals--Stresses 3. Stress analysis

Card 1/1

YATSYUK, A.I.

KARPENKO, Georgiy Vladimirovich; YATSYUK, Arseniy Ivanovich; ISHCHENKO, I.I.,
kand. tekhn. nauk, vidp. red.; KISINA, I.V., red. vid-vo;
SKLYAROVA, V.N., tekhn. red.

[Effect of surface working upon the strength of steel in active
liquid media] Vplyv obrobky poverkhni na vtomnu mitsnist' stali v
aktyvnykh ridynnykh seredovyshchakh. Kyiv, Vyd-vo Akad. nauk
URSR, 1958. 113 p. (MIRA 11:7)

(Steel) (Metal cutting)

YATsuyuk, A. I.

5(1) PHASE I BOOK INFORMATION NOV/2010

Abstracts and Reviews of the Literature. Institute of Metallurgical Engineering and Technology

Dr. A. I. Yatsuyuk, Institute of Metallurgical Engineering and Technology, Kyiv, 1978. 142 p. 1,000 copies printed.

Resp. Ed.: A. I. Yatsuyuk, Doctor of Technical Sciences, M. of Publishing House: V. I. Pavlov, 1977, Tech. M. of V. I. Yatsuyuk.

PURPOSE: The collection is intended for metallurgical engineers desiring information on fatigue and corrosion.

COVER: The collection of 15 articles in Russian compiled by 9 authors engaged in fatigue and corrosion research, is devoted to the subject of engineering practices in testing the fatigue properties of metals, mainly steel, with a particular emphasis on the mechanism of corrosion fatigue and the effect of various liquid media upon steel fatigue. Methods of investigation are described and the results evaluated. The collection is dedicated to the 50th anniversary of the Academician Peter Qalashnikov (Petr Alekseyevich) Yatsuyuk, an eminent metallurgist. The tests were conducted at the Institute of Metallurgical Engineering (Institute of Mechanical Engineering), Kyiv, Institute of Metallurgical Engineering (Institute of Mechanical Engineering), Kyiv, Institute of Metallurgical Engineering (Institute of Mechanical Engineering), Kyiv, both under the patronage of the Ukrainian Academy of Sciences, at the Polytechnical Institute (Polytechnical Institute), Kyiv, and at the Polytechnical Institute (Polytechnical Institute), Kyiv. References follow each article.

Yatsuyuk, A. I. Absence of Direct Relationship Between the Fatigue Strength and Corrosion Resistance of Steel 75

Yatsuyuk, A. I. and P. P. Yatsuyuk. Effect of the Temperature of H₂O₂ Steel Upon its Corrosion Resistance and its Corrosion-Fatigue Strength 83

Stepanenko, V. T. Corrosion Resistance of "45" Steel 88

Stepanenko, V. T. Corrosion-Fatigue Strength of "45" Steel in Hydro-sulfuric Solutions [Acid] 97

Yatsuyuk, A. I. Nature of Fatigue Failure of Induction-hardened Specimens of "45" Steel with Stress Raisers 106

CHAYEVSKIY, A. I. Brittleness of Low-carbon Steel Caused by the Action of Hydrogen 118

Chayevskiy, A. I. Effect of Molten Tin Upon the Fatigue Strength of Steel 116

Chayevskiy, A. I. Effect of Sulphiding by the H₂S (Molten Molten Vehicle Plant) Method on the Wear-resistance of Iron and Steel 123

Chayevskiy, A. I. Machine for Fatigue Testing in Corrosive Liquid Media 124

Yatsuyuk, A. I., V. T. Stepanenko, and P. P. Yatsuyuk. Methods of Investigating the Fatigue Strength of Metals in Aggressive Liquid Media with the RU Testing Machine 140

AVAILABLE: Library of Congress (D663.A42)

YATSYUK, A.I. [IAtsiuk, A.I.] (L'viv)

Development of physicochemical mechanics of materials in the
Ukraine. Prykl. mekh. 4 no.4:369-375 '58. (MIRA 11:12)

1. Institut mashinovedeniya i avtomatiki AN USSR.
(Ukraine--Strength of materials)

YATSYUK, A. I.

32-2-43/60

AUTHORS: Yatsyuk, A. I., Stepurenko, V. T.,
Yanchishin, F. P.

TITLE: A Device for Testing Metals for Their Fatigue Strength in
Active Liquid Media (Prisposobleniye dlya ispytaniya
metalla na ustalostnuyu prochnost' v zhidkikh aktivnykh
sredakh)

PERIODICAL: Zavodskaya Laboratoriya, 1958, Vol. 24, Nr 2, pp. 229-230
(USSR)

ABSTRACT: The given figure and description show that the test samples,
compared to those according to G. V. Akimov (reference 2),
were a little changed, and that at the testing machine of
the type "around the test sample a rubber cylinder with
an inlet and outlet tube was fixed. The liquid, under the
influence of which the test samples are to be stressed, can
be stationary or continuously passing through. The
influence of some liquids upon a perlite-ferrite steel is
shown by curves. They show that the active liquids reduce
the fatigue region compared to the influence of the air. So
investigations of this kind are absolutely necessary for

Card 1/2

A Device for Testing Metals for Their Fatigue Strength in
Active Liquid Media

32-2-43/60

machine parts which are exposed to such media. The device described above has already been used for two years. There are 3 figures and 1 reference, which is Slavic.

ASSOCIATION: Institute of Machinery and Automation AS Ukrainian
SSR (Institut mashinovedeniya i avtomatiki Akademii nauk
USSR)

AVAILABLE: Library of Congress.

1. Fatigue (Mechanics)-Testing equipment
2. Metals-Fatigue-Testing equipment

Card 2/2

25(1)

SOV/21-59-1-5/26

AUTHOR: Yatsyuk, A.I.; Shved, M.M.

TITLE: On the Effect of the Pre-heating Temperature on the Residual Stresses of the First and Second Kinds and the Fatigue Strength of Rolled Steel (O vliyanii temperatury predvaritel'nogo nagreva na ostatochnyye napryazheniya pervogo i vtorogo roda i na ustalostnuyu prochnost' obkatannoy stali)

PERIODICAL: Dopovidi Akademii nauk Ukrain's'koi RSR, Nr 1, 1959, pp 18-20 (USSR)

ABSTRACT: The authors describe the results of experimentations with groups of 10 mm diameter specimens of "45" steel (perlite-ferrite), on the influence of temperature of pre-heating upon the residual compression stresses of the first and second kind, and upon the fatigue limits. At first, all specimens were subjected to grinding, in accordance with the instruction of the Instytut

Card 1/4

SOV/21-59-1-5/26

On the Effect of the Pre-heating Temperature on the Residual Stresses of the First and Second Kinds and the Fatigue Strength of Rolled Steel.

budivel'noi mekhaniky AN UkrRSR (Institute of Construction Mechanics of the AS UkrSSR). After grinding, the specimens were treated with 28 mm diameter, 5 mm profile radius rollers, in a three-roller stand, by the TsNDIVMAsh method, under a pressure of 20 kg, at the speed of revolution of specimens of 400 rpm, feed 0.1 mm, at one passage. This rolling produced the surfaces of the ninth-tenth classes of purity. All rolled specimens were separated into groups, and subjected to heating to various temperatures. The residual stresses on the surface were examined by roentgenographic methods and compared with data of specimens that had not been subjected to heating. The roentgenogram was made in the Zaks camera, on a tube with a cobalt anode. The results proved, that a rise in the

Card 2/4

SOV/21-59-1-5/26

On the Effect of the Pre-heating Temperature on the Residual Stresses of the First and Second Kinds and the Fatigue Strength of Rolled Steel.

pre-heating temperature up to 300°C causes an increase in the residual compression stresses of the first and a rise in the residual stresses of the second kind. A further rise in the pre-heating temperature leads to a decrease in these magnitudes, and at a pre-heating of over 550°C , the residual stresses and the effect of rolling vanish, so that the boundary of hardness of rolled specimens becomes equal to that of non-rolled ones (30kg/mm^2). This phenomenon can be explained by an increase in the specific volume of the plastically-deformed zone in the metal. With a rise in the pre-heating to 300°C , there is a development of deformations in the cold-hardened layer of the metal, which rise to an increase in residual stresses of the second kind. There are one graph and five Soviet references.

Card 3/4

SOV/21-59-5/26

On the Effect of the Pre-heating Temperature on the Residual
Stresses of the First and Second Kinds and the Fatigue Strength of
Rolled Steel.

ASSOCIATION: Institut mashinovedeniya i avtomatiki AN UkrSSR (In-
stitute of Mechanical Engineering and Automation of the
AS UkrSSR)

PRESENTED: September 26, 1958, by F.P. Belyankin, Member of the
AS UkrSSR

Card 4/4

88689

S/137/61/000/001/033/043
A006/A001

18 7100

Translation from: Referativnyy zhurnal, Metallurgiya, 1961, No. 1, pp. 36 - 37,
1Zh277

AUTHORS: Yatsynik, A.I., Shved, M.M.

TITLE: The Effect of Heating on Residual Stresses and Endurance Strength
of Rolled Steel

PERIODICAL: "Nauchn. zap. In-ta mashinoved. i avtomat. AN USSR", 1960, Vol. 7,
pp. 106 - 109

TEXT: The authors investigated 45 grade steel. Residual stresses of the I and II order were determined by X-ray analysis. It was established that residual stresses of the I and II order increased with higher temperatures of preheating the rolled specimens, raised up to 300°C. Further elevation of preheating temperature causes a decrease of the aforementioned values and at > 550°C residual stresses are eliminated. σ_r depends in the same way on the preheating temperature, the effect of rolling vanishes at > 550°C. It is assumed that the increase of residual compression stresses of the I order with higher preheating tem-

IX

Card 1/2

88689

S/137/61/000/001/033/043
A006/A001

The Effect of Heating on Residual Stresses and Endurance Strength of Rolled Steel
peratures can be explained by an increase in the volume of the plastically de-
formed metal zone. With higher preheating temperatures (up to 300°C) distortions
in the cold hardened metal layers are developed which cause an increase of resi-
dual stresses of the II order. There are 5 references.

Z. F.

Translator's note: This is the full translation of the original Russian abstract.

Card 2/2

YATSYUK, A.I.

New abrasive instrument for polishing wood. Dop. AN URSR no.11:
1458-1461 '61. (MIRA 16:7)

1. L'vovskiy lesotekhnicheskii institut. Predstavleno akademikom
AN UkrSSR F.P.Belyankinym [Beliankin, F.P.].
(Grinding wheels)

YATSYUK, A.I., kand.tekhn.nauk; LYUBIMOV, V.G., kand.tekhn.nauk

Abrasive wheels for wood polishing. Der. prom. 11 no.9:6-7 S '62.
(MIRA 17:2)

YATSYUK, A.I., kand.tekhn.nauk; LYUBIMOV, V.G., kand.tekhn.nauk

Manufacture of abrasive wheels for wood polishing. Bum. i der. prom.
no.3:31-34 J1-S '63. (MIRA 17:2)

YATSYUK, A.I., kand. tekhn. nauk; LYUBIMOV, V.G., kand. tekhn. nauk;
PLOSHCHANSKIY, S.M.

Flexible abrasive wheels for wood polishing. Bum. 1 der. prom.
no.3:13-16 J1-S '64. (MIRA 17:11)

YATSYUK, A.I., kand. tekhn. nauk; POPOVICH, V.V., inzh.

Surface-grinding machine with a spring-supported table
plate for polishing wood with abrasive wheels. Les.,
bum. i der. prom. no.1:5-9 '65. (MIRA 18:12)

YATSYUK, A.I., kand. tekhn. nauk; LYUBIMOV, V.G., kand. tekhn. nauk;
PENGRIN, P.N., inzh.

Two-spindle surface-grinding machine for polishing office
equipment. Les., bum. i der. prom. no.1:9-13 '65.
(MIRA 18:12)